Cambridge International AS & A Level

BIOLOGY		9700/42
CENTRE NUMBER	CANDIDATE NUMBER	
NAME		

BIOLOGY

Paper 4 A Level Structured Questions

May/June 2024

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 100.
- The number of marks for each question or part question is shown in brackets [].

This document has 24 pages. Any blank pages are indicated.


- 1 Osmoregulation is the control of the water potential of body fluids such as blood.
 - (a) Osmoreceptors and antidiuretic hormone (ADH) have an important role in osmoregulation.
 - (i) Name the location of osmoreceptors.

[1]

(ii) State the stimulus that is detected by osmoreceptors.



(iii) Name the structure that secretes ADH into the blood.



(b) ADH acts on the cells of the collecting duct, resulting in changes in the volume and concentration of urine.

Fig. 1.1 shows the relationship between the concentration of ADH in the blood and the rate of production of urine by the kidneys.




Fig. 1.1

(ii)

19054995105	

As the concentration of ADH in the blood increases, the rate of production of urine decreases.

3

Using Fig. 1.1, calculate the percentage decrease in the rate of production of urine between ADH concentrations of 1 and 3 arbitrary units.

Show your working.

Give your answer to one decimal place.

	· ·
Explain the relationship shown in Fig. 1.1	
	[3

[Total: 8]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

Variation exists in populations of a species and this may provide the opportunity for evolution to occur.

(a)	1 110	inotypic v	anatio	II GNISIS	in many ion	ns and	a nas a	Hulli	ibei oi þ	Jossible Cause	
	Des	scribe the	main f	actors t	that are the c	ause	of phen	otyp	ic varia	tion.	
											[3]
(b)	(i)	Outline t	he the	ory of e							
	(ii)				n is supporte						[0]
		Explain between			sequences	are	used	to	show	evolutionary	relationships
											[3]



Question 3 starts on page 6.



3 The tortoise beetle, *Chelymorpha alternans*, is an insect found in Panama that has several different colour patterns. Fig. 3.1 shows a tortoise beetle.




Fig. 3.1

Researchers have identified a gene, L, that controls colour pattern in the pronotum and elytra. Gene L has four different alleles: L^V , L^T , L^R and L^r .

Table 3.1 shows five different colour pattern phenotypes of tortoise beetles and their genotypes.

Table 3.1

ph	enotype	genotypes
rufipennis	black	L ^R L ^R L ^R L ^r
darien f. militaris-a (dfm-a)	black and red striped	L ^T L ^T L ^T L ^V
darien f. militaris-b (dfm-b)	black black and red striped	L ^T L ^R
veraguensis	red	L ^V L ^r
metallic	metallic and red striped	L' L'

 19654993107 *	

(a)	Explain why the inheritance of colour pattern in tortoise beetles can be described as involving multiple alleles.			
	[1]			
(b)	A tortoise beetle with dfm-b phenotype was crossed with another tortoise beetle with dfm-b phenotype.			
	Construct a genetic diagram to show the results of this cross, including the ratio of offspring phenotypes.			
	parental phenotypes: dfm-b × dfm-b			
	parental genotypes:			
	gametes:			
	offspring genotypes:			
	offspring phenotypes:			
	ratio of offspring phenotypes:			
	[4]			
(c)	Colour pattern phenotype involves alleles that show codominance. There is also an order of dominance of alleles (dominance hierarchy).			
	Use the information in Table 3.1 to:			
	 identify the codominant alleles list the dominance hierarchy with alleles from the most dominant to the least dominant. 			
	codominant alleles			
	dominance hierarchy[2]			



Researchers carried out two crosses.

Cross 1: female veraguensis tortoise beetles were crossed with male metallic tortoise beetles.

The results are shown in Table 3.2.

Table 3.2

number	ratio of observed			
male veraguensis	female veraguensis	male metallic	female metallic	colour pattern phenotypes
139	153	136	140	1.06:1

Cross 2: female veraguensis tortoise beetles were crossed with male veraguensis tortoise beetles.

The results are shown in Table 3.3.

Table 3.3

number	ratio of observed			
male veraguensis	female veraguensis	male metallic	female metallic	colour pattern phenotypes
693	592	237	213	2.9:1

(i)	Using Table 3.1, deduce the genotypes of each of the parental beetles used in cross and cross 2.
	cross 1
	cross 2
	[2
(ii)	An assumption was made that female tortoise beetles have XX chromosomes and males have XY chromosomes. Gene <i>L</i> is not located on the X chromosome. It was concluded that colour pattern phenotype followed autosomal inheritance. Explain how the evidence in Table 3.3 supports this conclusion.
	[1
iii)	Name a statistical test that can be used to determine whether the ratio of observed phenotypes is significantly different from the expected ratio.

[Total: 11]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN



Genes have a role in determining the overall phenotype of an organism.

9

	a phenotype.
	[5]
)	In the pea plant, <i>Pisum sativum</i> , the genotype <i>lele</i> results in plants with short stems (dwarf plants).
	Explain how the <i>lele</i> genotype and its gene product results in dwarf plants.

[Turn over

190349931		

 Dwarf plants also occur if the genes controlling growth are not activated (switched on).
Explain how DELLA proteins act as repressors preventing gene expression.

[Total: 11]



The gene BRCA1 is expressed in breast tissue and in several other tissues of the body. BRCA1 codes for a tumour suppressor protein. This protein is involved in either repairing damaged DNA, or in triggering the death of a cell if DNA cannot be repaired.

Some mutations in BRCA1 are associated with an increased risk of developing breast cancer.

(a)	State one reason why a doctor would recommend that a person has genetic testing for a mutation in the gene <i>BRCA1</i> and explain why this mutation would put the person at a greater risk of breast cancer.
	[4]
(b)	DNA sequencing is one method used to test for mutations in <i>BRCA1</i> . Before DNA sequencing occurs, the DNA sample goes through the polymerase chain reaction (PCR).
	Suggest why PCR is used for testing for mutations in BRCA1.
	[2]

- (c) Genetic screening shows that in the UK:
 - 1 in 400 females have a mutated allele of BRCA1
 - 70% of females with a mutated allele of BRCA1 will develop breast cancer by the time they are 80 years old.

In 2022, the population of females in the UK was 3.5×10^7 .

Calculate the number of females in the UK population in 2022 who it is estimated will develop breast cancer by the age of 80 years old. Give your answer in standard form.

Show your working.

number of females =[2]

(d) One advantage of genetic screening is to determine which drugs should be selected to treat cancer.

A study was carried out on women with breast cancer who had been treated with a DNA-damaging drug that kills tumour cells.

The women had all been tested for *BRCA1* mutations. One group had a *BRCA1* mutation and the other group did **not** have a *BRCA1* mutation.

The researchers used data to assess the probability of survival for the women in each group of the study after treatment with the drug.



Fig. 5.1 shows the probability of survival for a time period of up to 180 months.

13





Fig. 5.1

The researchers suggested the hypothesis that the DNA-damaging drug is more effective in women with a *BRCA1* mutation.

Discuss whether the results in Fig. 5.1 support the hypothesis suggested by the researchers
[2
[Total: 10

Fig. 6.1 is a diagram of part of a mitochondrion.



intermembrane space




Fig. 6.1

On Fig. 6.1, use arrows to show the route taken by oxygen from the cytoplasm into the mitochondrial matrix. [1]

Identify protein D and the group of proteins represented by A , B and C and describe their roles in oxidative phosphorylation.

© UCLES 2024

DO NOT WRITE IN THIS MARGIN

00	1000-10002	O	

15

(c) The matrix of a mitochondrion contains small circular DNA. In the cells of humans, the

mitochondria have circular DNA that contains 37 genes.	
Suggest functions for these mitochondrial genes.	
	. [3]

[Total: 11]

A student investigated the effect of temperature on the rate of photosynthesis at two different light intensities. The rate of photosynthesis was determined by measuring the rate of oxygen production of the plant.

Fig. 7.1 shows the result of the investigation.




Fig. 7.1

With reference to Fig. 7.1, describe and explain the results of the investigation for the plant in low light intensity.
[3]

<u> </u>

	(ii)	With reference to Fig. 7.1, describe and explain the results of the investigation for the plant in high light intensity above 30 °C.
		[3]
(b)	Des	scribe the process that produces oxygen during non-cyclic photophosphorylation.
		[3]



Fig. 8.1 is a diagram of a sensory neurone.




Fig. 8.1

	(i)	Name the type of cell represented by cell A .	
		[1]
	(ii)	Name a type of cell that forms a synapse with structure B .	
		[1]
	(iii)	Name the cells that form the myelin sheath.	
		[1]
(b)		e and explain the differences in the transmission of impulses between myelinated an yelinated neurones.	d
		[-	4]

(i)

(c) Opioids are therapeutic drugs that are used to relieve pain. Morphine is an example of an opioid. It affects the functioning of synapses.

19

Fig. 8.2 is a diagram of a cholinergic synapse.




Fig. 8.2

With reference channel B .	to Fig. 8	8.2, describe	e the differen	ces between	ion channel	A and ion
						[2]

(iii)

Morphine binds to the opioid receptor in the presynaptic membrane. This stops the ion



channel A from opening.
Suggest and describe the effects of the binding of morphine to this opioid receptor on the functioning of the cholinergic synapse.
[4]
Morphine also binds to the opioid receptor in the postsynaptic membrane. This results in the opening of ion channel ${\bf C}$, allowing potassium ions to diffuse out of the cell.
Suggest how this would affect the synapse.

[Total: 15]

(a) The Asian common toad, Duttaphrynus melanostictus, arrived accidentally in eastern Madagascar in 2010 on a ship.

Fig. 9.1 shows an Asian common toad.



Fig. 9.1

The Asian common toad is now regarded as an invasive alien species because:

- it breeds fast in the warm, wet conditions of eastern Madagascar
- it can travel up to 2.5 km per year
- its skin contains poison, which is highly toxic to humans and predators.

Suggest Madagas	in	which	the	Asian	common	toad	may	affect	the	ecosystem	n of	eastern
	 											[4]

[Total: 8]

(b)	Zoos work with local groups around the world to help conserve endangered species.							
	One example of this is the use of assisted reproduction, such as IVF, with endangered							
	mammals such as the eastern black rhino.							

Outline the process of IVF.
[4]

DO NOT WRITE IN THIS MARGIN

(a) In mammals, blood glucose concentration is maintained around a set point so that the mammal can function efficiently. This is an example of homeostasis.

Name the mechanism that maintains blood glucose concentration around a set point.

(b) Fig. 10.1 shows how the blood glucose concentration varies before, during and after a period of exercise.




Fig. 10.1

Explain the results shown in Fig. 10.1 between 15 minutes and 70 minutes.
[3]

[Total: 8]

Type 1 diabetes in humans is a condition where the pancreas does not produce enough insulin to control blood glucose concentration.

24

Test strips are used to measure the concentration of glucose in a sample of urine. Two reactions take place on the test strip and a colour change occurs if glucose is present in the urine.

The equations for these reactions are:

	glucose oxidase glucose + oxygen — A + hydrogen peroxide
	peroxidase hydrogen peroxide + B — → oxidised B + water
(i)	Identify compound A and the type of substrate represented by B .
	A
	B
ii)	Most people with diabetes mellitus use a biosensor to obtain their blood glucose concentration
	Suggest the advantages of using a biosensor rather than test strips.
	[2

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

